


MBL Oligomer ELISA Kit

(KIT 029)

References November 2008



All the scientific papers listed here have used Bioporto Diagnostics' MBL Oligomer ELISA Kit (KIT 029) in the experimental work to obtain the results published in the paper.

Area

1. Cancer chemotherapy
2. Immunosuppressive treatment
3. Cancer
4. Children with recurrent infections
5. Infections
6. Sepsis
7. HIV
8. Autoimmune diseases
9. Cystic fibrosis
10. Diabetes
11. IgA Nephrophathy
12. Obesity
13. MBL assays
14. Investigating the MBL pathway
15. MBL gene polymorphisms

Cancer chemotherapy

Neth O, Hann I, Turner MW, Klein NJ (2001) Deficiency of mannose-binding lectin and burden of infection in children with malignancy: a prospective study. *Lancet* 358:614-618.

Rubnitz JE, Howard SC, Willis J, Pui CH, Pounds S, Hayden RT (2008) Baseline mannose binding levels may not predict infection among children with leukemia. *Pediatr Blood Cancer* 50:866-868.

Immunosuppressive treatment

Bergmann OJ, Christiansen M, Laursen I, Bang P, Hansen NE, Ellegaard J, Koch C, Andersen V (2003) Low levels of mannose-binding lectin do not affect occurrence of severe infections or duration of fever in acute myeloid leukaemia during remission induction therapy. *Eur J Haematol* 70:91-97.

Cancer

Rubnitz JE, Howard SC, Willis J, Pui CH, Pounds S, Hayden RT (2008) Baseline mannose binding lectin levels may not predict infection among children with leukemia. *Pediatr Blood Cancer* 50:866-868.

Schlapbach LJ, Aebi C, Otth M, Luethy AR, Leibundgut K, Hirt A, Ammann RA (2007) Serum levels of mannose-binding lectin and the risk of fever in neutropenia pediatric cancer patients. *Pediatr Blood Cancer* 49:11-16.

Swierzko AS, Florczak K, Cedzynski M, Szemraj J, Wydra D, Bak-Romaniszyn L, Emerich J, Sulowska Z (2006) Mannan-binding lectin (MBL) in women with tumours of the reproductive system. *Cancer Immunol Immunother* 56:959-971.

Children with recurrent infections

Forster-Waldl E, Cokoja L, Forster O, Maurer W (2003) Mannose-binding lectin: comparison of two assays for the quantification of MBL in the serum of pediatric patients. *J Immunol Methods* 276:143-146.

Proulx F, Wagner E, Toledano B, Decaluwe H, Seidman EG, Rivard GE (2003) Mannan-binding lectin in children with *Escherichia coli* O157:H7 haemorrhagic colitis and haemolytic uraemic syndrome. *Clin Exp Immunol* 133:360-363.

Stephens RC, Fidler K, Wilson P, Barclay GR, Mythen MG, Dixon GL, Turner MW, Klein NJ, Peters MJ (2006) Endotoxin immunity and the development of the systemic inflammatory response syndrome in critically ill children. *Intensive Care Med* 32:286-294.

Infections

Babula O, Danielsson I, Sjoberg I, Ledger WJ, Witkin SS (2004) Altered distribution of mannose-binding lectin alleles at exon I codon 54 in women with vulvar vestibulitis syndrome. *Am J Obstet Gynecol* 191:762-766.

Fevang B, Mollnes TE, Holm AM, Ueland T, Heggelund L, Damas JK, Aukrust P, Froland SS (2005) Common variable immunodeficiency and the complement system; low mannose-binding lectin levels are associated with bronchiectasis. *Clin Exp Immunol* 142:576-584.

Garcia-Laorden MI, Sole-Violan J, Rodriguez de CF, Aspa J, Briones ML, Garcia-Saavedra A, Rajas O, Blanquer J, Caballero-Hidalgo A, Marcos-Ramos JA, Hernandez-Lopez J, Rodriguez-Gallego C (2008) Mannose-binding lectin and mannose-binding lectin-associated serine protease 2 in susceptibility, severity, and outcome of pneumonia in adults. *J Allergy Clin Immunol* 122:368-74, 374.

Messias R, I, Schafranski MD, Jensenius JC, Steffensen R, (2006) The association between mannose-binding lectin gene polymorphism and rheumatic heart disease. *Hum Immunol* 67:991-998.

Myhre AG, Stray-Pedersen A, Spangen S, Eide E, Veimo D, Knappskog PM, Abrahamsen TG, Husebye ES (2004) Chronic mucocutaneous candidiasis and primary hypothyroidism in two families. *Eur J Pediatr* 163:604-611.

Liu F, Liao Q, Liu Z (2006) Mannose-binding lectin and vulvovaginal candidiasis. *Int J Gynaecol Obstet* 92:43-47.

Pellis V, De SF, Crovella S, Bossi F, Bulla R, Guaschino S, Radillo O, Garred P, Tedesco F (2005) Mannose binding lectin and C3 act as recognition molecules for infectious agents in the vagina. *Clin Exp Immunol* 139:120-126.

Perez-Castellano M, Penaranda M, Payeras A, Mila J, Riera M, Vidal J, Pujalte F, Pareja A, Villalonga C, Matamoros N (2006) Mannose-binding lectin does not act as an acute-phase reactant in adults with community-acquired pneumococcal pneumonia. *Clin Exp Immunol* 145:228-234.

Selvaraj P, Jawahar MS, Rajeswari DN, Alagarasu K, Vidyarani M, Narayanan PR (2006) Role of mannose binding lectin gene variants on its protein levels and macrophage phagocytosis with live *Mycobacterium tuberculosis* in pulmonary tuberculosis. *FEMS Immunol Med Microbiol* 46:433-437.

Schafranski MD, Stier A, Nisihara R, Messias-Reason IJ (2004) Significantly increased levels of mannose-binding lectin (MBL) in rheumatic heart disease: a beneficial role for MBL deficiency. *Clin Exp Immunol* 138:521-525.

Schafranski MD, Pereira FL, Scherner D, Torres R, Jensenius JC, de Messias-Reason IJ (2008) High-producing MBL2 genotypes increase the risk of acute and chronic carditis in patients with history of rheumatic fever. *Mol Immunol* 45:3827-3831.

Schlapbach LJ, Aebi C, Fisch U, Ammann RA, Otth M, Bigler S, Nelle M, Berger S, Kessler U (2008) Higher cord blood levels of mannose-binding lectin-associated serine protease-2 in infants with necrotising enterocolitis. *Pediatr Res* 64:562-566.

Siassi M, Riese J, Steffensen R, Meisner M, Thiel S, Hohenberger W, Schmidt J (2005) Mannan-binding lectin and procalcitonin measurement for prediction of postoperative infection. *Crit Care* 9:R483-R489.

Stray-Pedersen A, Aaberge IS, Fruh A, Abrahamsen TG (2005) Pneumococcal conjugate vaccine followed by pneumococcal polysaccharide vaccine; immunogenicity in patients with ataxia-telangiectasia. *Clin Exp Immunol* 140:507-516.

Sepsis

De Benedetti F, Auriti C, D'urbano LE, Ronchetti MP, Rava L, Tozzi A, Ugazio AG, Orzalesi MM (2007) Low Serum Levels of Mannose Binding Lectin Are a Risk Factor for Neonatal Sepsis. *Pediatr Res* 61:325-328.

Fidler KJ, Wilson P, Davies JC, Turner MW, Peters MJ, Klein NJ (2004) Increased incidence and severity of the systemic inflammatory response syndrome in patients deficient in mannose-binding lectin. *Intensive Care Med* 30:1438-1445.

HIV

Alagarasu K, Selvaraj P, Swaminathan S, Raghavan S, Narendran G, Narayanan PR (2007) Mannose binding lectin gene variants and susceptibility to tuberculosis in HIV-1 infected patients of South India. *Tuberculosis (Edinb)* 87:535-543.

Dzwonek A, Novelli V, Bajaj-Elliott M, Turner M, Clapson M, Klein N (2006) Mannose-binding lectin in susceptibility and progression of HIV-1 infection in children. *Antivir Ther* 11:499-505.

Garcia-Laorden MI, Pena MJ, Caminero JA, Garcia-Saavedra A, Campos-Herrero MI, Caballero A, Rodriguez-Gallego C (2006) Influence of mannose-binding lectin on HIV infection and tuberculosis in a Western-European population. *Mol Immunol* 43:2143-2150.

Heggelund L, Mollnes TE, Ueland T, Christophersen B, Aukrust P, Froland SS (2003) Mannose-binding lectin in HIV infection: relation to disease progression and highly active anti-retroviral therapy. *J Acquir Immune Defic Syndr* 32:354-361.

Heggelund L, Mollnes TE, Espevik T, Muller F, Kristiansen KI, Aukrust P, Froland SS (2005) Modulatory effect of mannose-binding lectin on cytokine responses: possible roles in HIV infection. *Eur J Clin Invest* 35:765-770.

Mangano A, Rocco C, Marino SM, Mecikovsky D, Genre F, Aulicino P, Bologna R, Sen L (2008) Detrimental effects of mannose-binding lectin (MBL2) promoter genotype XA/XA on HIV-1 vertical transmission and AIDS progression. *J Infect Dis* 198:694-700.

Autoimmune diseases

Aydin SZ, Atagunduz P, Inanc N, Bicakcigil M, Tasan D, Temel M, Direskeneli H (2007) Mannose binding lectin levels in spondyloarthropathies. *J Rheumatol* 34:2075-2077.

Geleijns CPW (2005) Immunogenetic polymorphism in Guillain-Barré syndrome. 1-152.

Inanc N, Mumcu G, Birtas E, Elbir Y, Yavuz S, Ergun T, Fresko I, Direskeneli H (2005) Serum mannose-binding lectin levels are decreased in behcet's disease and associated with disease severity. *J Rheumatol* 32:287-291.

Muraki T, Hamano H, Ochi Y, Komatsu K, Komiyama Y, Arakura N, Yoshizawa K, Ota M, Kawa S, Kiyosawa K (2006) Autoimmune pancreatitis and complement activation system. *Pancreas* 32:16-21.

Seibold F, Konrad A, Flogerzi B, Seibold-Schmid B, Arni S, Juliger S, Kun JF (2004) Genetic variants of the mannan-binding lectin are associated with immune reactivity to mannans in Crohn's disease. *Gastroenterology* 127:1076-1084.

Cystic fibrosis

Davies JC, Turner MW, Klein N (2004) Impaired pulmonary status in cystic fibrosis adults with two mutated MBL-2 alleles. *Eur Respir J* 24:798-804.

Diabetes

Megia A, Gallart L, Fernandez-Real JM, Vendrell J, Simon I, Gutierrez C, Richart C (2004) Mannose-binding lectin gene polymorphisms are associated with gestational diabetes mellitus. *J Clin Endocrinol Metab* 89:5081-5087.

IgA Nephrophathy

Onda K, Ohi H, Tamano M, Ohsawa I, Wakabayashi M, Horikoshi S, Fujita T, Tomino Y (2007) Hypercomplementemia in adult patients with IgA nephropathy. *J Clin Lab Anal* 21:77-84.

Obesity

Fernandez-Real JM, Strackowski M, Vendrell J, Soriguer F, Perez Del PS, Gallart L, Lopez-Bermejo A, Kowalska I, Manco M, Cardona F, Garcia-Gil MM, Mingrone G, Richart C, Ricart W, Zorzano A (2006) Protection from inflammatory disease in insulin resistance: the role of mannan-binding lectin. *Diabetologia* 49:2402-2411.

Manco M, Fernandez-Real JM, Equitani F, Vendrell J, Valera Mora ME, Nanni G, Tondolo V, Calvani M, Ricart W, Castagneto M, Mingrone G (2006) Effect of massive weight loss on inflammatory adipocytokines and the innate immune system in morbidly obese women. *J Clin Endocrinol Metab* 92:483-490.

MBL assays

Frederiksen PD, Thiel S, Jensen L, Hansen AG, Matthiesen F, Jensenius JC (2006) Quantification of mannan-binding lectin. *J Immunol Methods* 315:49-60.

Turner MW, Johnson M, Booth C, Klein N, Rolland J, Davies J (2003) Assays for human mannose-binding lectin. *J Immunol Methods* 276:147-149.

Investigating the MBL pathway



Garcia-Laorden MI, Garcia-Saavedra A, de Castro FR, Violan JS, Rajas O, Blanquer J, Borderias L, Rodriguez-Gallego C (2006) Low clinical penetrance of mannose-binding lectin-associated serine protease 2 deficiency. *J Allergy Clin Immunol* 118:1383-1386.

Neth O, Jack DL, Johnson M, Klein NJ, Turner MW (2002) Enhancement of complement activation and opsonophagocytosis by complexes of mannose-binding lectin with mannose-binding lectin-associated serine protease after binding to *Staphylococcus aureus*. *J Immunol* 169:4430-4436.

MBL gene polymorphisms

Lee SG, Yum JS, Moon HM, Kim HJ, Yang YJ, Kim HL, Yoon Y, Lee S, Song K (2005) Analysis of mannose-binding lectin 2 (MBL2) genotype and the serum protein levels in the Korean population. *Mol Immunol* 42:969-977.

Related products

| Cat. No. | Product name |
|--------------|--|
| KIT 029 | MBL Oligomer ELISA Kit   * |
| WASH 029-250 | 250 mL 25x Wash Solution Concentrate KIT 029 |
| WASH 029-30 | 30 mL 25x Wash Solution Concentrate KIT 029 |
| HYB 131-01 | Mouse monoclonal anti-MBL antibody |
| HYB 131-01 B | Mouse monoclonal anti-MBL antibody, biotinylated |
| HYB 131-10 | Mouse monoclonal anti-MBL antibody |
| HYB 131-11 | Mouse monoclonal anti-MBL antibody |
| SER 101 | MBL standard serum (1000 AU), lyophilized |
| SER 102 | MBL oligomer deficient serum, B/B genotype |

* In the European Union, Canada, Iran and India only. For Research Use Only in the rest of the world.

For more information, please contact BioPorto Diagnostics or your local BioPorto Diagnostics distributor



BIOPORTO[®]
Diagnostics

BioPorto Diagnostics A/S
Grusbakken 8
DK-2820 Gentofte
Denmark

Phone (+45) 4529 0000
Fax (+45) 4529 0001
E-mail info@bioporto.com
Web www.bioporto.com

Distributor's stamp